

TABLE 5-10RE. TEN LEADING CAUSES OF DEATH BY RACE/ETHNIC GROUPS* , CALIFORNIA, 2000 (By Place o

(Causes of death are coded to the **Tenth Revision of the International Classification of Diseases,**

CAUSE OF DEATH	ICD CODES (Rev. 10)	Total											
				American Indian		Asian		Black		Pacific Islander		White/Other	
		Deaths	Rank	Deaths	Rank	Number	Rank	Number	Rank	Number	Rank	White	Rank
ALL CAUSES	A00-Y899	228,281		892		14,025		17,482		527		166,243	
DISEASES OF HEART	I00-I09,I11,I13, I20-I51	68,533	1	211	1	3,803	2	5,273	1	166	1	52,209	1
MALIGNANT NEOPLASMS	C00-C97	53,005	2	188	2	3,826	1	3,880	2	112	2	39,119	2
CEREBROVASCULAR DISEASES	I60-I69	18,090	3	60	4	1,527	3	1,348	3	39	3	13,152	3
CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	12,754	4	46	5	568	5	620	6	21	5	10,801	4
ACCIDENTS	V01-X59,Y85-Y86	8,814	5	71	3	536	6	638	5	28	4	5,257	6
INFLUENZA & PNEUMONIA	J10-J18	8,355	6	18	8	579	4	471	8	12	7	6,432	5
DIABETES	E10-E14	6,203	7	37	7	452	7	735	4	17	6	3,501	8
ALZHEIMER'S DISEASE	G30	4,398	8	8	a	100	b	196	b	3	a	3,823	7
CHRONIC LIVER DISEASE & CIRRHOSIS	K70,K73-K74	3,673	9	42	6	119	b	214	b	5	a	2,158	10
INTENTIONAL SELF-HARM (Suicide)	X60-X84,Y87.0	3,113	10	12	9	210	8	144	b	9	a	2,271	9
ALL OTHER CAUSES	Residual	41,343		199		2,305		3,963					

a Ranks are not presented for less than 10 deaths.

Source: State of California, Department of Health Services, Death Records.

TABLE 5-10REAL. TEN LEADING CAUSES OF DEATH BY SEX BY RACE/ETHNIC GROUP - AMERICAN INDIAN, CALIFORNIA, 2000 (By Place of Residence)

(Causes of death are coded to the **Tenth Revision of the International Classification of Diseases.**)

RANK	CAUSE OF DEATH	ICD CODES (Rev. 10)	TOTAL DEATHS	PERCENT ¹
	ALL CAUSES	A00-Y899	892	100.0
1	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	211	23.7
2	MALIGNANT NEOPLASMS	C00-C97	188	21.1
3	ACCIDENTS	V01-X59,Y85-Y86	71	8.0
4	CEREBROVASCULAR DISEASES	I60-I69	60	6.7
5	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	46	5.2
6	CHRONIC LIVER DISEASE & CIRRHOSIS	K70,K73-K74	42	4.7
7	DIABETES	E10-E14	37	4.1
8	INFLUENZA & PNEUMONIA	J10-J18	18	2.0
9	INTENTIONAL SELF-HARM (Suicide)	X60-X84,Y87.0	12	1.3
10	HUMAN IMMUNODEFICIENCY VIRUS DISEASE	B20-B24	10	1.1
	ALL OTHER CAUSES	Residual	197	22.1
MALES:				
	ALL CAUSES	A00-Y899	443	100.0
1	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	108	24.4
2	MALIGNANT NEOPLASMS	C00-C97	94	21.2
3	ACCIDENTS	V01-X59,Y85-Y86	38	8.6
4	CEREBROVASCULAR DISEASE	I60-I69	29	6.5
5	CHRONIC LIVER DISEASE & CIRRHOSIS	K70,K73-K74	26	5.9
6	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	23	5.2
7	DIABETES	E10-E14	17	3.8
8	INFLUENZA & PNEUMONIA	J10-J18	10	2.3
a	INTENTIONAL SELF-HARM (Suicide)	X60-X84,Y87.0	9	2.0
	ALL OTHER CAUSES	Residual	89	20.1
FEMALES:				
	ALL CAUSES	A00-Y899	449	100.0
1	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	103	22.9
2	MALIGNANT NEOPLASMS	C00-C97	94	20.9
3	ACCIDENTS	V01-X59,Y85-Y86	33	7.3
4	CEREBROVASCULAR DISEASE	I60-I69	31	6.9
5	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	23	5.1
6	DIABETES	E10-E14	20	4.5
7	CHRONIC LIVER DISEASE & CIRRHOSIS	K70,K73-K74	16	3.6
a	INFLUENZA & PNEUMONIA	J10-J18	8	1.8
a	ALZHEIMER'S DISEASE	G30	7	1.6
	ALL OTHER CAUSES	Residual	114	25.4

* Beginning in 2000, up to three races were reported on deaths certificates.

The American Indian race/ethnic group includes Eskimo and Aleut and excludes 2 or more race groups, as well as decedents of Hispanic origin.

¹ Percents are rounded independently and may not add up to totals.

a Rates are not presented for less than 10 deaths.

Source: State of California, Department of Health Services, Death Records.

TABLE 5-10REAS. TEN LEADING CAUSES OF DEATH BY SEX BY RACE/ETHNIC GROUP - ASIAN
CALIFORNIA, 2000 (By Place of Residence)

(Causes of death are coded to the **Tenth Revision of the International Classification of Diseases.**)

RANK	CAUSE OF DEATH	ICD CODES (Rev. 10)	TOTAL DEATHS	PERCENT ¹
	ALL CAUSES	A00-Y899	14,025	100.0
1	MALIGNANT NEOPLASMS	C00-C97	3,826	27.3
2	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	3,803	27.1
3	CEREBROVASCULAR DISEASES	I60-I69	1,527	10.9
4	INFLUENZA & PNEUMONIA	J10-J18	579	4.1
5	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	568	4.0
6	ACCIDENTS	V01-X59,Y85-Y86	536	3.8
7	DIABETES	E10-E14	452	3.2
8	INTENTIONAL SELF-HARM (Suicide)	X60-X84,Y87.0	210	1.5
9	NEPHRITIS	N00-N07,N17- N19,N25-N27	184	
10	HYPERTENTION	I10,I12	142	1.0
	ALL OTHER CAUSES	Residual	6,024	43.0
MALES:				
	ALL CAUSES	A00-Y899	7,610	100.0
1	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	2,133	28.0
2	MALIGNANT NEOPLASMS	C00-C97	2,068	27.2
3	CEREBROVASCULAR DISEASE	I60-I69	708	9.3
4	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	366	4.8
5	ACCIDENTS	V01-X59,Y85-Y86	326	4.3
6	INFLUENZA & PNEUMONIA	J10-J18	298	3.9
7	DIABETES	E10-E14	231	3.0
8	INTENTIONAL SELF-HARM (Suicide)	X60-X84,Y87.0	151	2.0
9	NEPHRITIS	N00-N07,N17- N19,N25-N27	84	1.1
10	ASSAULT (Homicide)	X85-Y09,Y87.1	79	1.0
	ALL OTHER CAUSES	Residual	1,166	15.3
FEMALES:				
	ALL CAUSES	A00-Y899	6,415	100.0
1	MALIGNANT NEOPLASMS	C00-C97	1,758	27.4
2	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	1,670	26.0
3	CEREBROVASCULAR DISEASE	I60-I69	819	12.8
4	INFLUENZA & PNEUMONIA	J10-J18	281	4.4
5	DIABETES	E10-E14	221	3.4
6	ACCIDENTS	V01-X59,Y85-Y86	210	3.3
7	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	202	3.1
8	NEPHRITIS	N00-N07,N17- N19,N25-N27	100	1.6
9	HYPERTENTION	I10,I12	81	1.3
10	ALZHEIMER'S DISEASE	G30	63	1.0
	ALL OTHER CAUSES	Residual	2,768	43.1

* Beginning in 2000, up to three races were reported on deaths certificates.

The Asian race/ethnic group excludes 2 or more race groups, as well as decedents of Hispanic origin

¹ Percents are rounded independently and may not add up to totals.

a Rates are not presented for less than 10 deaths.

Source: State of California, Department of Health Services, Death Records.

TABLE 5-10REBLK. TEN LEADING CAUSES OF DEATH BY SEX BY RACE/ETHNIC GROUP - BLACK
CALIFORNIA, 2000 (By Place of Residence)

(Causes of death are coded to the **Tenth Revision of the International Classification of Diseases**.)

RANK	CAUSE OF DEATH	ICD CODES (Rev. 10)	TOTAL DEATHS	PERCENT ¹
	ALL CAUSES	A00-Y899	17,482	100.0
1	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	5,273	30.2
2	MALIGNANT NEOPLASMS	C00-C97	3,880	22.2
3	CEREBROVASCULAR DISEASES	I60-I69	1,348	7.7
4	DIABETES	E10-E14	735	4.2
5	ACCIDENTS	V01-X59,Y85-Y86	638	3.6
6	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	620	3.5
7	ASSAULT (Homicide)	X85-Y09,Y87.1	596	
8	INFLUENZA & PNEUMONIA	J10-J18	471	2.7
9	HUMAN IMMUNODEFICIENCY VIRUS DISEASE	B20-B24	357	
10	HYPERTENTION	I10,I12	294	1.7
	ALL OTHER CAUSES	Residual	3,270	18.7
MALES:				
	ALL CAUSES	A00-Y899	9,064	100.0
1	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	2,605	28.7
2	MALIGNANT NEOPLASMS	C00-C97	1,990	22.0
3	CEREBROVASCULAR DISEASE	I60-I69	561	6.2
4	ASSAULT (Homicide)	X85-Y09,Y87.1	521	5.7
5	ACCIDENTS	V01-X59,Y85-Y86	426	4.7
6	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	353	3.9
7	DIABETES	E10-E14	333	3.7
8	HUMAN IMMUNODEFICIENCY VIRUS DISEASE	B20-B24	275	
9	INFLUENZA & PNEUMONIA	J10-J18	214	2.4
10	HYPERTENSION	I10,I12	132	1.5
	ALL OTHER CAUSES	Residual	1,654	18.2
FEMALES:				
	ALL CAUSES	A00-Y899	8,418	100.0
1	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	2,668	31.7
2	MALIGNANT NEOPLASMS	C00-C97	1,890	22.5
3	CEREBROVASCULAR DISEASE	I60-I69	787	9.3
4	DIABETES	E10-E14	402	4.8
5	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	267	3.2
6	INFLUENZA & PNEUMONIA	J10-J18	257	3.1
7	ACCIDENTS	V01-X59,Y85-Y86	212	2.5
8	HYPERTENTION	I10,I12	162	1.9
9	ALZHEIMER'S DISEASE	G30	129	1.5
10	NEPHRITIS	N00-N07,N17- N19,N25-N27	113	1.3
	ALL OTHER CAUSES	Residual	1,531	18.2

* Beginning in 2000, up to three races were reported on deaths certificates.

The Black race/ethnic group excludes 2 or more race groups, as well as decedents of Hispanic origin

¹ Percents are rounded independently and may not add up to totals.

a Rates are not presented for less than 10 deaths.

Source: State of California, Department of Health Services, Death Records.

TABLE 5-10PI. TEN LEADING CAUSES OF DEATH BY SEX BY RACE/ETHNIC GROUP - PACIFIC ISLAND
CALIFORNIA, 2000 (By Place of Residence)

(Causes of death are coded to the **Tenth Revision of the International Classification of Diseases**.)

RANK	CAUSE OF DEATH	ICD CODES (Rev. 10)	TOTAL DEATHS	PERCENT ¹
	ALL CAUSES	A00-Y899	527	100.0
1	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	166	31.5
2	MALIGNANT NEOPLASMS	C00-C97	112	21.3
3	CEREBROVASCULAR DISEASES	I60-I69	39	7.4
4	ACCIDENTS	V01-X59,Y85-Y86	28	5.3
5	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	21	4.0
6	DIABETES	E10-E14	17	3.2
7	INFLUENZA & PNEUMONIA	J10-J18	12	2.3
8	ASSAULT (Homicide)	X85-Y09,Y87.1	10	
8	NEPHRITIS	N00-N07,N17- N19,N25-N27	10	
a	INTENTIONAL SELF-HARM (Suicide)	X60-X84,Y87.0	9	1.7
	ALL OTHER CAUSES	Residual	103	19.5
MALES:				
	ALL CAUSES	A00-Y899	311	100.0
1	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	104	33.4
2	MALIGNANT NEOPLASMS	C00-C97	61	19.6
3	ACCIDENTS	V01-X59,Y85-Y86	21	6.8
4	CEREBROVASCULAR DISEASE	I60-I69	20	6.4
5	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	11	3.5
5	DIABETES	E10-E14	11	3.5
a	INFLUENZA & PNEUMONIA	J10-J18	8	2.6
a	ASSAULT (Homicide)	X85-Y09,Y87.1	8	2.6
	ALL OTHER CAUSES	Residual	67	21.5
FEMALES:				
	ALL CAUSES	A00-Y899	216	100.0
1	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	62	28.7
2	MALIGNANT NEOPLASMS	C00-C97	51	23.6
3	CEREBROVASCULAR DISEASE	I60-I69	19	8.8
4	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	10	4.6
a	ACCIDENTS	V01-X59,Y85-Y86	7	3.2
	ALL OTHER CAUSES	Residual	67	31.0

* Beginning in 2000, up to three races were reported on deaths certificates.

The Pacific Islander race/ethnic group excludes 2 or more race groups, as well as decedents of Hispanic origin.

¹ Percents are rounded independently and may not add up to totals.

a Rates are not presented for less than 10 deaths.

Source: State of California, Department of Health Services, Death Records.

TABLE 5-10WHT. TEN LEADING CAUSES OF DEATH BY SEX BY RACE/ETHNIC GROUP - WHITE/OTHER RACES
CALIFORNIA, 2000 (By Place of Residence)

(Causes of death are coded to the **Tenth Revision of the International Classification of Diseases.**

RANK	CAUSE OF DEATH	ICD CODES (Rev. 10)	TOTAL DEATHS	PERCENT ¹
	ALL CAUSES	A00-Y899	166,243	100.0
1	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	52,209	31.4
2	MALIGNANT NEOPLASMS	C00-C97	39,119	23.5
3	CEREBROVASCULAR DISEASES	I60-I69	13,152	7.9
4	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	10,801	6.5
5	INFLUENZA & PNEUMONIA	J10-J18	6,432	3.9
6	ACCIDENTS	V01-X59,Y85-Y86	5,257	3.2
7	ALZHEIMER'S DISEASE	G30	3,823	4.4
8	DIABETES	E10-E14	3,501	2.1
9	INTENTIONAL SELF-HARM (Suicide)	X60-X84,Y87.0	2,271	1.4
10	CHRONIC LIVER DISEASE & CIRRHOSIS	K70,K73-K74	2,158	1.3
	ALL OTHER CAUSES	Residual	27,520	16.6
MALES:				
	ALL CAUSES	A00-Y899	80,261	100.0
1	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	25,331	31.6
2	MALIGNANT NEOPLASMS	C00-C97	19,561	24.4
3	CEREBROVASCULAR DISEASE	I60-I69	5,007	6.2
4	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	4,988	6.2
5	ACCIDENTS	V01-X59,Y85-Y86	3,460	4.3
6	INFLUENZA & PNEUMONIA	J10-J18	2,752	3.4
7	INTENTIONAL SELF-HARM (Suicide)	X60-X84,Y87.0	1,777	2.2
8	DIABETES	E10-E14	1,734	2.2
9	CHRONIC LIVER DISEASE & CIRRHOSIS	K70,K73-K74	1,399	1.7
10	ALZHEIMER'S DISEASE	G30	1,195	1.4
	ALL OTHER CAUSES	Residual	13,057	16.3
FEMALES:				
	ALL CAUSES	A00-Y899	85,982	100.0
1	DISEASES OF HEART	I00-I09,I11,I13		
		I20-I51	26,878	31.3
2	MALIGNANT NEOPLASMS	C00-C97	19,558	22.7
3	CEREBROVASCULAR DISEASE	I60-I69	8,145	9.5
4	CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	5,813	6.8
5	INFLUENZA & PNEUMONIA	J10-J18	3,680	4.3
6	ALZHEIMER'S DISEASE	G30	2,628	3.1
7	ACCIDENTS	V01-X59,Y85-Y86	1,797	2.1
8	DIABETES	E10-E14	1,767	2.1
9	ATHEROSCLEROSIS	I70	865	
10	HYPERTENTION	I10,I12	862	
	ALL OTHER CAUSES	Residual	13,989	16.3

* Beginning in 2000, up to three races were reported on deaths certificates.

The White/Other Races race/ethnic group includes Eskimo and Aleut and excludes 2 or more race groups, as well as decedents of Hispanic origin.

¹ Percents are rounded independently and may not add up to totals.

a Rates are not presented for less than 10 deaths.

Source: State of California, Department of Health Services, Death Records.

TABLE 5-10. TEN LEADING CAUSES OF DEATH BY SEX, PERCENT OF DEATHS, DEATH RATES, AND AGE ADJUSTED DEATH RATES, CALIFORNIA, 2000 (By Place of Residence)

(Causes of death are coded to the **Tenth Revision of the International Classification of Diseases**; rates are per 1¹ population in specified groups; age-adjusted rates are per 100,000 **Year 2000 U.S. standard population**.)

CAUSE OF DEATH	ICD CODES (Rev. 10)	TOTAL DEATHS	RANK	PERCENT ¹ OF DEATHS	DEATH RATE	AGE-ADJUSTED RATE
ALL CAUSES	A00-Y899	228,281		100.0	658.8	755.3
DISEASES OF HEART	I00-I09,I11,I13,I20-I51	68,533	1	30.0	197.8	231.1
MALIGNANT NEOPLASMS	C00-C97	53,005	2	23.2	153.0	175.3
CEREBROVASCULAR DISEASES	I60-I69	18,090	3	7.9	52.2	61.2
CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	12,754	4	5.6	36.8	43.1
ACCIDENTS	V01-X59,Y85-Y86	8,814	5	3.9	25.4	26.6
INFLUENZA & PNEUMONIA	J10-J18	8,355	6	3.7	24.1	28.4
DIABETES	E10-E14	6,203	7	2.7	17.9	20.6
ALZHEIMER'S DISEASE	G30	4,398	8	1.9	12.7	15.1
CHRONIC LIVER DISEASE & CIRRHOSIS	K70,K73-K74	3,673	9	1.6	10.6	11.6
INTENTIONAL SELF-HARM (Suicide)	X60-X84,Y87.0	3,113	10	1.4	9.0	9.4
ALL OTHER CAUSES	Residual	41,343		18.1		
MALE CAUSE OF DEATH	ICD CODES (Rev. 10)	MALE DEATHS	RANK	PERCENT ¹ OF DEATHS	DEATH RATE	AGE-ADJUSTED RATE
ALL CAUSES	A00-Y899	114,005		100.0	655.2	897.0
DISEASES OF HEART	I00-I09,I11,I13,I20-I51	33,938	1	29.8	195.1	282.3
MALIGNANT NEOPLASMS	C00-C97	26,759	2	23.5	153.8	207.9
CEREBROVASCULAR DISEASE	I60-I69	7,265	3	6.4	41.8	62.2
CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	6,112	4	5.4	35.1	51.3
ACCIDENTS	V01-X59,Y85-Y86	5,995	5	5.3	34.5	37.5
INFLUENZA & PNEUMONIA	J10-J18	3,683	6	3.2	21.2	33.1
DIABETES	E10-E14	3,015	7	2.6	17.3	23.5
CHRONIC LIVER DISEASE & CIRRHOSIS	K70,K73-K74	2,467	8	2.2	14.2	16.3
INTENTIONAL SELF-HARM (Suicide)	X60-X84,Y87.0	2,431	9	2.1	14.0	15.4
ASSAULT (Homicide)	X85-Y09,Y87.1	1,700	10	1.5	9.8	9.6
ALL OTHER CAUSES	Residual	20,640		18.1		
FEMALE CAUSE OF DEATH	ICD CODES (Rev. 10)	FEMALE DEATHS	RANK	PERCENT ¹ OF DEATHS	DEATH RATE	AGE-ADJUSTED RATE
ALL CAUSES	A00-Y899	114,276		100.0	662.3	644.6
DISEASES OF HEART	I00-I09,I11,I13,I20-I51	34,595	1	30.3	200.5	190.8
MALIGNANT NEOPLASMS	C00-C97	26,246	2	23.0	152.1	154.3
CEREBROVASCULAR DISEASE	I60-I69	10,825	3	9.5	62.7	59.8
CHRONIC LOWER RESPIRATORY DISEASES	J40-J47	6,642	4	5.8	38.5	38.1
INFLUENZA & PNEUMONIA	J10-J18	4,672	5	4.1	27.1	25.4
DIABETES	E10-E14	3,188	6	2.8	18.5	18.6
ALZHEIMER'S DISEASE	G30	3,010	7	2.6	17.4	16.1
ACCIDENTS	V01-X59,Y85-Y86	2,819	8	2.5	16.3	16.3
HYPERTENSION	I10,I12	1,229	9	1.1	7.1	6.8
CHRONIC LIVER DISEASE & CIRRHOSIS	K70,K73-K74	1,206	10	1.1	7.0	7.2
ALL OTHER CAUSES	Residual	19,844		17.4		

¹ Percents are rounded independently and may not add up to totals.

Source: State of California, Department of Health Services, Death Records.

State of California, Department of Finance, 2000 Population: 1997-2040 Population Projections by Age, Sex, and Detail, December 1998.